



# Cylinders Holding

Reputable steel cylinder maker, one of the largest producers in the World with more than 100 years tradition in cylinder manufacturing is pleased to introduce its newly designed collection of Diving (SCUBA) and breathing (SCBA) cylinders.

All our cylinders are Oxygen Clean, approved for use in EU countries, further certification (and threading) is available upon request.

## 20 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 204 mm  
Convex Bottom  
Weight cca 21,3 kg  
Lenght cca 790 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



Working Pressure 300 bar  
Diameter 178 mm  
Convex Bottom  
Weight cca 18 kg  
Lenght cca 640 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment

## 12 L CYLINDER

Chrome-Molybdenum Steel



## 18 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 204 mm  
Convex Bottom  
Weight cca 19,8 kg  
Lenght cca 720 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 12 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 200 bar  
Diameter 171 mm  
Concave Bottom  
Weight cca 12,5 kg  
Lenght cca 670 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 12 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 178 mm  
Concave Bottom  
Weight cca 13,1 kg  
Lenght cca 625 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 12 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 171 mm  
Concave bottom  
Weight cca 13,5 kg  
Lenght cca 685 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 15 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 204 mm  
Convex Bottom  
Weight cca 17,5 kg  
Lenght cca 615 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



Working Pressure 230 bar  
Diameter 204 mm  
Convex Bottom  
Weight cca 15 kg  
Lenght cca 510 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment

## 12 L CYLINDER

Chrome-Molybdenum Steel





# Cylinders Holding

## 10 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 300 bar  
Diameter 178 mm  
Convex Bottom  
Weight cca 14 kg  
Length cca 550 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 8 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 300 bar  
Diameter 140 mm  
Convex Bottom  
Weight cca 11 kg  
Length cca 680 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 3 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 300 bar  
Diameter 100 mm  
Convex Bottom  
Weight cca 4,1 kg  
Length cca 510 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 2 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 232 bar  
Diameter 100 mm  
Convex Bottom  
Weight cca 2,4 kg  
Length cca 360 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 10 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 171 mm  
Concave Bottom  
Weight cca 12 kg  
Length cca 590 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 7 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 300 bar  
Diameter 140 mm  
Convex Bottom  
Weight cca 9,9 kg  
Length cca 600 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



Working Pressure 200 bar  
Diameter 83 mm  
Convex Bottom  
Weight cca 1,6 kg  
Length cca 280 mm  
Thread 17E (Equals to W 19,8)  
Anti-Corrosion Treatment



## 10 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 230 bar  
Diameter 178 mm  
Concave Bottom  
Weight cca 11,5 kg  
Length cca 535 mm  
Thread M 25 x 2  
Anti-Corrosion Treatment



## 6 L CYLINDER

Chrome-Molybdenum Steel

Working Pressure 300 bar  
Diameter 140 mm  
Convex Bottom  
Weight cca 7,8 kg  
Length cca 530 mm  
Thread 17E (Equals to W 19,8)



## 1 L CYLINDER

Chrome-Molybdenum Steel



Twin sets of various sizes are available upon request.



Twin sets of various sizes are available upon request.



VÍTKOVICE CYLINDERS a.s.  
Ruská 24/83, Ostrava Vítkovice 706 00  
Czech Republic  
Tel.: +420 596 664 627  
Cell: +420 702 202 346  
E-mail: cylinders@cylinders.cz  
www.vitkovicecylinders.cz

